

Vetenskapliga artiklar samt doktorsavhandlingar som relaterar till SDPP (1996-2012)

1. Sanderson C, Haglund BJA, Tillgren P, Svanstrom L, Ostenson C-G, Holm L-E, Ullén H, Smajkic A: Effects and stage models in community intervention programmes, and the development of the model for management of intervention programme preparation. *Health Prom Internat* 11: 143-155, 1996.
2. Bjaras G, Ahlbom A, Alvarsson M, Burstrom B, Diderichsen F, Efendic S, Grill V, Haglund BJ, Norman A, Persson P-G, Svanstrom L, Tillgren P, Ullén H, Ostenson C-G: Strategies and methods for implementing a community-based diabetes prevention program in Sweden. *Health Promot Internat* 12: 151-160, 1997.
3. Carlsson S, Persson P-G, Grill V, Alvarsson M, Efendic S, Norman A, Svanstrom L, Ostenson C-G: Weight history, glucose intolerance and insulin levels in Swedish middle-aged men: Evidence for effects on insulin resistance and insulin secretion. *Am J Epidemiol* 148: 539-545, 1998.
4. Persson P-G, Carlsson S, Grill V, Hagman U, Lundgren A-C, Ostenson C-G, Perers M, Wallén A: Food frequency questionnaire versus 7-day weighed dietary record information on dietary fibre and fat intake in middle-aged Swedish men. *Scand J Soc Med* 26:75-80, 1998
5. Grill V, Persson P-G, Carlsson S, Norman A, Alvarsson M, Ostenson C-G, Svanstrom L, Efendic S: Family history of diabetes in middle-ages Swedish men is a gender unrelated factor which associates with insulinopenia in newly diagnosed diabetic subjects. *Diabetologia* 42: 15-23, 1999.
6. Carlsson S, Persson P-G, Alvarsson M, Efendic S, Norman A; Svanstrom L, Ostenson C-G, Grill V: Low birth weight, family history of diabetes and glucose intolerance in Swedish middle-aged men. *Diabetes Care* 22: 1043-1047, 1999.
7. Bjaras G, Klinge Harberg L, Ostenson C-G: Walking campaigns – useful way to get people involved in physical activity? *Scand J Publ Health* 27:237-238, 1999.
8. Hjalmarson A, Rossner S, Ostenson C-G: Supervised physical activity in Sweden – in theory and practice. *Patient Educ Couns* 39:281-284, 2000.
9. Persson P-G, Carlsson S, Grill V, Svanstrom L, Ostenson C-G, Efendic S: Cigarette smoking, oral moist snuff use and glucose intolerance; *J Intern Med* 248:103-110, 2000.
10. Carlsson S, Persson P-G, Efendic S, Hammar N, Ostenson C-G, Grill V: Alcohol consumption, type 2 diabetes and impaired glucose tolerance in middle-aged Swedish men. *Diabet Med* 17: 776-781, 2000.
11. Bjaras G, Klinge Harberg L, Sydhoff J, Ostenson C-G, Walking campaigns: a model for developing participation in physical activity? Experiences from three campaign periods of the Stockholm Diabetes Prevention Program (SDPP). *Patient Couns* 42: 9-14, 2001.
12. Grill V, Dinesen B, Carlsson S, Efendic S, Pedersen O, Ostenson C-G: Hyperproinsulinemia and proinsulin-to-insulin ratios in Swedish middle-aged men: Association with glycemia and insulin resistance but not with family history of diabetes. *Am J Epidemiol* 155: 834-841, 2002.
13. Andersson CM, Bjaras G, Ostenson C-G: A stage model for assessing a community-based diabetes prevention program: *Health Promotion Internat* 17: 317-327, 2002.
14. Agardh E, Ahlbom A, Andersson T, Efendic S, Grill V, Hallqvist J, Norman A, Ostenson C-G: Work stress and low sense of coherence is associated with type 2 diabetes in middle-aged Swedish women, *Diabetes Care* 26: 719-724, 2003.

15. Andersson CM, Bjaras G, Tillgren P, Ostenson C-G: Health promotion activities in annual reports of local governments. 'Healh for all' targets as a tool for content analysis. *Eur J public Health* 13:235-239, 2003.
16. Agardh EE, Ahlbom A, Andersson T, Efendic S, Grill V, Hallqvist J, Ostenson C-G: Explanations of socioeconomic differences in excess risk type 2 diabetes in Swedish men and women. *Diabetes Care* 27:716-721, 2004.
17. Agardh EE, Hilding A, Carlsson S, Ahlbom A, Efendic S, Grill V, Hammar N, Östenson C-G: Coffee consumption, type 2 diabetes and impaired glucose tolerance in Swedish men and women. *J Intern Med* 255:645-652, 2004.
18. Gu HF, Abulaiti A, Ostenson CG, Humpherys K, Wahlestedt C, Brookes AJ, Efendic S: Single nucleotide polymorphisms, in the proximal promoter region of the adiponectin (APM1) gene are associated with type 2 diabetes in Swedish Caucasians. *Diabetes* 53 (suppl 1): S31-S35, 2004.
19. Gu HF, Efendic S, Nordman S, Ostenson CG, Brismar K, Brookes AJ, Prince J: Quantitative trait loci near the insulin-degrading enzyme (IDE) gene contribute to variation in plasma insulin levels. *Diabetes* 53:2137-2142, 2004.
20. Kuhl J, Hilding A, Ostenson CG, Grill V, Efendic S, Bavenholm P: Characterisation of subjects with early abnormalities of glucose tolerance in the Stockholm Diabetes Prevention Programme: the impact of sex and type 2 diabetes heredity. *Diabetologia* 48:35-40, 2005.
21. Nordman S, Ding B, Östenson C-G, Kärvestedt L, Brismar K, Efendic S, Gu H: Leu7Pro polymorphism in the neuropeptide Y (NPY) gene is associated with impaired glucose tolerance and type 2 diabetes in Swedish men. *Exp Clin Endocrinol Diabetes* 113:282-287, 2005.
22. Ding B, Kull B, Liu Z, Mottagui-Taber S, Thonberg H, Gu HF, Brookes AJ, Grundemar L, Karlsson C, Hamsten A, Arner P, Östenson CG, Efendic S, Monné M, von Heijne G, Eriksson P, Wahlestedt C: Human neuropeptide Y signal peptide gain-of-function polymorphism is associated with increases body mass index: possible mode of function. *Regul peptides* 127:45-53, 2005.
23. Jörneskog G, Kalani M, Kuhl J, Båvenholm P, Katz A, Allerstrand G, Alvarsson M, Efendic S, Östenson C-G, Pernow J, Wahren J, Brismar K: Early microvascular dysfunction in healthy normal weight males with heredity for type 2 diabetes. *Diabetes Care* 28:1495-1497, 2005.
24. Andersson C, Bjärås G, Tillgren P, Östenson C-G: A longitudinal assessment of intersectoral participation in a community-based diabetes prevention program. *Soc Sci Med* 61:2407-2422, 2005.
25. Lavebratt C, Sengul S, Gu HF, Persson B, Nordfors L, Östenson C-G, Efendic S, Arner P, Hoffstedt J, Schalling M: Association study between chromosome 10q26.11 and obesity among Swedish men. *Int J Obes (Lond)* 29:1422-1428, 2005.
26. Sydhoff J, Josefsson I, Cronlund I, Hollenberg S, Kanström L, Östenson C-G: Health referral – effective in primary health care. Good tool in the prevention/treatment of for example overweight and type 2 diabetes. *Läkartidningen* 103:375-377, 2006.
27. Hilding A, Eriksson A-K, Agardh EE, Grill V Ahlbom A, Efendic S, Östenson C-G: The impact of family history of diabetes and lifestyle factors on abnormal glucose regulation in middle-ages Swedish man and women. *Diabetologia* 49:2589-2598, 2006.
28. Agardh EE, Ahlbom A, Andersson T, Östenson CG: The magnitude of bias in a cross-sectional study on lifestyle factors in relation to Type 2 diabetes. *Scand J Public Health* 34:665-668, 2006.
29. Agardh EE, Ahlbom A, Andersson T, Efendic S, Grill V, Hallqvist J, Östenson CG: Socioeconomic position at three points in life in association with type 2 diabetes and impaired glucose tolerance in middle-ages Swedish men and women. *Int J Epidemiol* 36:84-92, 2007.

30. Långberg E-C, Gu HF, Norman S, Efendic S, Östenson C-G: Genetic variation in receptor protein tyrosine phosphatase sigma (RPTPsigma) is associated with type 2 diabetes in Swedish Caucasians. *Eur J Endocrinol* 157:459-464, 2007.
31. Eriksson C, Rosenlund M, Pershagen G, Hilding A, Östenson C-G, Bluhm G: Aircraft noise and incidence of hypertension, *Epidemiology* 18:716-721, 2007.
32. Andersson C, Bjärås G, Tillgren P, Östenson C-G: Local media monitoring in process evaluation. How local newspapers portray physical activity. Experiences from the Stockholm Diabetes Prevention Programme. *J Health Commun* 12:269-283, 2007.
33. Strawbridge RJ, Kärvestedt L, Li C, Efendic S, Östenson CG, Gu HF, Brismar K: GHR exon 3 polymorphism: Association with type 2 diabetes mellitus and metabolic disorder. *Growth Horm IGF Res* 17:392-398, 2007.
34. Gustavsson JP, Eriksson AK, Hilding A, Gunnarsson M, Östenson C-G: Measurement invariance of personality traits from a five-factor model perspective. *Eur J Psychol Assessment*, in press.
35. Sundsten T, Östenson C-G, Bergsten P. Serum protein patterns in newly diagnosed type 2 diabetes mellitus. *Diabetes/Metab Res Rev* 24:148-154, 2008.
36. Nordman S, Abulaiti A, Hilding A, Långberg E-C, Humphreys K, Östenson C-G, Efendic S, Gu HF: Genetic variation of the adenylyl cyclase 3 (AC3) locus and its influences to type 2 diabetes and obesity susceptibility in Swedish men. *Intern J Obesity (Lond)* 32:407-412, 2008.
37. Eriksson AK, Ekbom A, Granath F, Hilding A, Efendic S, Östenson CG: Psychological distress and risk of prediabetes and type 2 diabetes in a prospective study of Swedish middle-aged men and women. *Diabetic Med* 25:834-842, 2008.
38. Lewitt MS, Hilding A, Östenson CG, Efendic S, Brismar K, Hall K: Insulin-like growth factor-binding protein-1 in the prediction and development of type 2 diabetes in middle-aged Swedish men. *Diabetologia* 51:1135-1145, 2008.
39. Dahlman I, Vaxillaire M, Nilsson M, Lecoeur C, Gu HF, Cavalcanti-proençá C, Efendic S, Ostenson CG, Brismar K, Charpentier G, Gustavsson JA, Froguel P, Dahlman-Wright K, Steffensen KR: Estrogen receptor alpha gene variants associate with type 2 diabetes and fasting plasma glucose. *Pharmacogenet Genomics* 18:967-975, 2008.
40. Nordman S, Östenson CG, Efendic S, Gu HF: Loci of TCF7L2, HHEX and IDE on chromosome 10q and the susceptibility of their genetic polymorphisms to type 2 diabetes. *Exp Clin Endocrinol Diabetes* 117:186-190, 2009.
41. Dahlman I, Nilsson M, Gu HF, Lecouer C, Efendic S, Östenson CG, Brismar K, Gustavsson JA, Froguel P, Vaxillaire M, Dahlman-Wright K, Steffensen KR: Functional and genetic analysis in type 2 diabetes of liver X receptor alleles – a cohort study. *BMC Med Genet* 10:27, 2009.
42. Alvarsson M, Hilding A, Östenson CG: Factors determining normalization of glucose intolerance in middle-ages Swedish men and women: a 8-10-year follow-up. *Diabetic Med* 26:345-353, 2009.
43. Johansson P, Östenson CG, Hilding A, Andersson CM, Rehnberg C, Tillgren P: A cost-effectiveness analysis of a community-based diabetes prevention program in Sweden. *Int J Technol Assess Health Care* 25:350-358, 2009.
44. Lehtihet M, Jörneskog G, Alvarsson M, Båvenholm P, Katz A, Efendic S, Östenson CG, Kuhl J, Brismar K: Low IGFBP-1 is a marker of impaired skin vascular response to both endothelial and non- endothelial stimulation in healthy males. *Diabetes & Metab Syndrome: Clin Res & Rev* 3:103-108, 2009.

45. Eriksson C, Bluhm G, Hilding A, Östenson CG, Pershagen G: Aircraft noise and incidence of hypertension – gender-specific effects. *Environ Res.* 110:764-72, 2010.
46. Strawbridge RJ*, Dupuis J*, Prokopenko I*, Barker A*, Ahlgvist E*, Rybin D, Petrie JR, Travers ME, Bouatia-Naji N, Dimas AS, Nica A, Weeler E, Chen H, Voight BF, Taneera J, Kanoni S, Peden JF, Turrini F, Gustavsson S, Zabena C, Almgren P, Barker DJP, Barnes D, Dennison EM, Eriksson JG, Eriksson P, Eury E, Folkersen L, Fox CS, Frayling TM, Goel A, Gu HF, Horikoshi M, Isomaa B, Jackson AU, Jameson KA, Kajantie E, Kerr-Conte J, Kuulasmaa T, Kuusisto J, Loos RJ, Luan J, Makrilakis K, Manning AK, Martinez-Larrad MT, Narisu N, Mannila MN, Öhrvik J, Osmond C, Pascoe L; Payne F, Sayer AA, Sennblad B, Silveira A, Stancakova A, Stirrups K, Swift AJ, Syvänen A, Tuomi T, van 't Hooft FM, Walker M, Weedon MN, Xie W, Zethelius B, the DIAGRAM Consortium, the GIANT Consortium, the MuTHER Consortium, the CARDIoGRAM Consortium, the C4D Consortium, Ongen H, Mälarstig A, Hopewell JC, Saleheen D, Chambers J, Parish S, Danesh J, Kooner J, Östenson CG, Lind L, Cooper CC, Serrano-Rios M, Ferrannini E, Forsen TJ, Clarke R, Franzosi MG, Seedorf U, Watkins H, Froguel P, Johnson P, Deloukas P, Collins FS, Laakso M, Dermitzakis ET, Boehnke M, McCarthy MI, Wareham NJ, Groop L, Pattou F, Gloyn AL, Dedoussis GV, Lyssenko V, Meigs JB, Barroso I, Watanabe RM, Ingelsson E, Langenberg C†, Hamsten A† and Florez JC†. Genome-wide association identifies nine common variants associated with fasting proinsulin levels and provides new insights into the pathophysiology of type 2 diabetes. *Diabetes* 60:2624-2634, 2011
47. Gu HF, Gu T, Östenson C-G, Kärvestedt L, Brismar K: Evaluation of Sox2 genetic effect on the development of type 2 diabetes. *Gene*, 486:94-96, 2011.
48. Eriksson AK, Gustavsson, JP, Hilding A, Granath F, Ekblom A, Östenson CG: Personality traits and abnormal glucose regulation in Swedish middle-aged men and women. *Diabetes Res Clin Pract.* 95:145-52, 2012.
49. Deleskog A, Hilding A, Ostenson CG: Oral contraceptive use and abnormal glucose regulation in Swedish middle aged women. *Diabetes Res Clin Pract* 92:288-292, 2011.
50. Cullmann M, Hilding A, Östenson CG: Alcohol consumption and risk of prediabetes and type 2 diabetes development in a Swedish population. *Diabetic Med* 29:441-52, 2012.
51. Deleskog A, Hilding A, Brismar K, Hamsten A, Efendic S, Östenson CG: Low serum 25-hydroxyvitamin D predicts progression to type 2 diabetes in subjects with prediabetes but not with normal glucose tolerance. *Diabetologia* 55:1668-78, 2012.
52. Eriksson AK, Ekblom A, Hilding A, Östenson CG: The influence of non-response in a population-based cohort study on type 2 diabetes evaluated by the Swedish Prescribed Drug Register. *Eur J Epidemiol* 27(3):153-62, 2012. Epub 2011 Nov 17.
53. Ösby U, Olsson E, Eriksson SV, Edman G, Hilding A, Östenson: Cardiovascular risk factors in schizophrenia – a population-based case control study in Sweden. *Schizophrenia Res*, in press.
54. Almgren M, Atkinson R, He J, Hilding A, Hagman E, Wolk A, Thorell A, Marcus C, Näslund E, Östenson CG, Schalling M, Lavebratt C: Adenovirus-36 is associated with obesity in children and adults in Sweden as determined by rapid ELISA. *PLoS ONE*, in press.
55. Östenson CG, Hilding A, Grill V, Efendic S: High consumption of smokeless tobacco ("snus") predicts increased risk of type 2 diabetes in a 10-year prospective study of middle-aged Swedish men. *Scand J Public Health*, in press.
56. Wirström T, Hilding A, Gu HF, Östenson CG, Björklund A: Consumption of wholegrain reduces the risk for deteriorating glucose tolerance, including progression to prediabetes. *Am J Clin Nutr*, in press.

57. Långberg E-C, Seed Ahmed M, Efendic S, Gu HF, Östenson CG: Genetic association of adrenergic receptor alpha 2A (ADRA2A) with obesity and type 2 diabetes. *Obesity*, in press.
58. Eriksson AK, van den Donk M, Hilding A, Östenson CG: Stress factors at work, sense of coherence, and risk of type 2 diabetes in a cohort of Swedish middle-aged men and women. *Diabetes Care*, in press.

Doktorsavhandlingar vid Karolinska Institutet, vilket helt eller delvis baseras på SDPP.

- Sofia Carlsson (2003) Weight history, low birth weight, alcohol consumption and type 2 diabetes.
- Emilie Agardh (2005) The influence of psychosocial stress, socioeconomic differences and coffee consumption in the etiology of type 2 diabetes.
- Marianne Yngen (2005) Platelet function in diabetes mellitus.
- Camilla Andersson (2006) Challenges of studying complex community health promotion programmes.
- Jeanette Kuhl (2006) Pathogenesis of type 2 diabetes with emphasis on the mechanism of insulin resistance.
- Sofia Nordman (2008) Identification of susceptibility genes in type 2 diabetes.
- Masoud Razmara (2009) Platelet dysfunction in diabetes: impact of hyperglycemia and GPIIb/IIIa inhibition.
- Pia Johansson (2009) Economic evaluations of public health programmes. Constraints and opportunities.
- Ewa-Catrin Långberg (2010) Impact of candidate genes on obesity and type 2 diabetes.
- Anna-Karin Eriksson (2012) Epidemiological studies on type 2 diabetes: Assessment of diabetes risk factors and study participation.
- Charlotte Eriksson (2012, fall) Cardiovascular and metabolic effects of long-term traffic noise exposure.